The Clinical Journal of Pain Volume 14, 1998

Author Index

Ahmed, H. E.

Craig, W. F., White, P. F., Huber, P.: Percutaneous electrical nerve stimulation (PENS): A complementary therapy for management of pain secondary to bony metastasis, 320

Allen, T. see Robinson, J. P.

Anderson, C.

Hole, P.: Long-term home treatment with epidural analgesia does not affect later spinal cord stimulation in patients with otherwise intractable angina pectoris, 315

Appelgren, L. see Dahm, P.; Nitescu, P.

April, C. N. see Vanharanta, H.

Arakawa, Y. see Koyama, T.

Aronoff, G. M.: Focus article: Myofascial pain syndrome and fibromyalgia: A critical assessment and alternate view, 74

Baron, R. see Stanton-Hicks, M.

Birch, S.

Jamison, R. N.: Special article: Controlled trial of Japanese acupuncture for chronic myofascial neck pain: Assessment of specific and nonspecific effects of treatment, 248

Bisi, G. see Canavero, S.

Blauer, T.

Gerstmann, D.: A simultaneous comparison of three neonatal pain scales during common NICU procedures, 39

Boas, R. see Stanton-Hicks, M.

Bodoky, C. see Keel, P. J.

Bonicalzi, V. see Canavero, S.

Bookbinder, M. see Luketich, J. D.

Bruehl, S. see Galer, B. S.

Canavero, S.

Bonicalzi, V., De Lucchi, R., Davini, O., Podio, V., Bisi, G.: Letter to the Editor: Abolition of neurogenic pain by focal cortical ischemia, 268

Carrougher, G. see Ohrbach, R.

Chabal, C.

Fishbain, D. A., Weaver, M., Heine, L. W.: Long-term transcutaneous electrical nerve stimulation (TENS) use: Impact on medication utilization and physical therapy costs, 66

Jacobson, L., Mariano, A. J., Chaney, E.: Comment: On letter to the editor: Pseudoaddiction or pseudolabel?, 90

Chambers, C. T.

Reid, G. J., Craig, K. D., McGrath, P. J., Finley, G. A.: Agreement between child and parent reports of pain, 336

Chaney, E. see Chabal, C.

Craig, K. D. see Chambers, C. T.

Craig, W. F. see Ahmed, H. E.

Curelaru, I. see Dahm, P.; Nitescu, P.

Dahm, P. see Nitescu, P.

Nitescu, P., Appelgren, L., Curelaru, I.: Review article: Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalig-

nant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps. 4

Davidson, E. M. see Shir, Y.

Davini, O. see Canavero, S.

de Bruijn, H. P. see Geertzen, J. H. B.

de Bruijn-Kofman, A. T. see Geertzen, J. H. B.

de C. Williams, A. C. see Machin, P.

De Lucchi, R. see Canavero, S.

Dijkstra, P. U. see Geertzen, J. H. B.

Ferrer, T. see Sandroni, P.

Finley, G. A. see Chambers, C. T.; Gauthier, J. C.

Fishbain, D. A. see Chabal, C.

Fisher, L. D. see Jensen, M. P.

Fisher, P. see Vickers, A. J.

Fukusaki, M.

Kobayashi, I., Hara, T., Sumikawa, K.: Symptoms of spinal stenosis do not improve after epidural steroid injection, 148

Fulton, L. D. see Robinson, J. P.

Gajraj, N. M.

Letter to the Editor: Opiate abuse or undertreatment?, 90

Galer, B. S.

Bruehl, S., Harden, R. N.: IASP diagnostic criteria for complex regional pain syndrome: A preliminary empirical validation study, 48

Gallagher, R. M.

Editorial: Chronic pain: A public health problem?, 277

Editorial: Outcomes and moral hazards in the medical culture of opioid phobia, 185

Editorial: Peter R. Wilson, Editor-in-Chief, The Clinical Journal of Pain, 1990–1998, 93

authier, J. C.

Finley, G. A., McGrath, P. J.: Children's self-report of postoperative pain intensity and treatment threshold: Determining the adequacy of medication, 116

Geertzen, J. H. B.

de Bruijn-Kofman, A. T., de Bruijn, H. P., van de Wiel, H. B. M., Dijkstra, P. U.: Stressful life events and psychological dysfunction in Complex Regional Pain Syndrome type I, 143

Gerhard, U. see Keel, P. J.

Gerstmann, D. see Blauer, T.

Gibran, N. see Ohrbach, R.

Gil, K. M. see Schanberg, L. E.

Ginsberg, R. see Luketich, J. D.

Gordh, T. see Stanton-Hicks, M.

Gudin, J. see Thimineur, M.

Güleç, S.

Günal, I., Torun, S., Öztuna, V.: Letter to the Editor: Cerebrospinal fluid pressure and acetazolamide treatment in idiopathic low back pain, 176

Günal, I. see Güleç, S.

Haddox, J. D.

AAPM President's Message: Gullible's travels, 187

AAPM President's Address: Talk the talk, 95

AAPM President's Address: Total pain care-New concept?, 280

AAPM President's Message: Whither quality?, 2

Hall, H.

McIntosh, G., Wilson, L., Melles, T.: Spontaneous onset of back pain, 129

Halldén, K. see Linton, S. J.

Hara, T. see Fukusaki, M.

Harden, N. see Stanton-Hicks, M.

Harden, R. N. see Galer, B. S.

Hargadon, R. see Kee, W. G.

Hautkappe, M.

Roizen, M. F., Toledano, A., Roth, S., Jeffries, J. A., Ostermeier, A. M.: Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Heine, L. W. see Chabal, C.

Hendler, N. see Stanton-Hicks, M.

Herr, K. A.

Mobily, P. R., Kohout, F. J., Wagenaar, D.: Evaluation of the Faces Pain Scale for use with the elderly, 29

Herring, C. L. see Monti, D. A.

Hershey, J. see Luketich, J. D.

Hervias-Sanz, M.

Letter to the Editor: Opiate abuse or undertreatment?, 90

Hole, P. see Anderson, C.

Huber, P. see Ahmed, H. E.

Iezzi, A. see Jackson, T.

Ishihara, H. see Kudoh, A.

Jackson, T.

Iezzi, A., Lafreniere, K., Narduzzi, K.: Relations of employment status to emotional distress among chronic pain patients: A path analysis 55

Jacobson, L. see Chabal, C.

Jamison, R. N. see Birch, S.

Jeffries, J. A. see Hautkappe, M.

Jensen, M. P.

Miller, L., Fisher, L. D.: Assessment of pain during medical procedures: A comparison of three scales, 343

Kee, W. G.

Middaugh, S. J., Redpath, S., Hargadon, R.: Age as a factor in admission to chronic pain rehabilitation, 121

Keefe, F. J. see Schanberg, L. E.

Keel, P. J.

Bodoky, C., Gerhard, U., Müller, W.: Special article: Comparison of intergrated group therapy and group relaxation training for fibromyalgia, 232

Kiss, M. see Luketich, J. D.

Kitaj, M. see Thimineur, M.

Klingler, D. see Lampl, C.

Kobayashi, I. see Fukusaki, M.

Kohout, F. J. see Herr, K. A.

Koltzenburg, M. see Stanton-Hicks, M.

Koyama, T.

Arakawa, Y., Shibata, M., Mashimo, T., Yoshiya, I.: Case report: Effect of barbiturate on central pain: Difference between intravenous administration and oral administration, 86

Kravitz, E. see Thimineur, M.

Kreczi, T. see Lampl, C.

Kredich, D. W. see Schanberg, L. E.

Kudoh, A.

Ishihara, H., Matsuki, A.: Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-onoff-on design, 61

Lafreniere, K. see Jackson, T.

Lampl, C.

Kreczi, T., Klingler, D.: Transcutaneous electrical nerve stimulation in the treatment of chronic pain: Predictive factors and evaluation of the method, 134

Lefebvre, J. C. see Schanberg, L. E.

Lin, C.-C.: Comparison of the effects of perceived self-efficacy on coping with chronic cancer pain and coping with chronic low back pain, 303

Linton, S. J.

Halldén, K.: Special article: Can we screen for problematic back pain? A screening questionnaire for predicting outcomes in acute and subacute back pain, 209

Lippe, P. M.

Editorial: An apologia in defense of pain medicine, 189

Long, S. see Price, D. D.

Low, P. A. see Sandroni, P.

Luketich, J. D.

Kiss, M., Hershey, J., Urso, G. K., Wilson, J., Bookbinder, M., Ginsberg, R.: Chest tube insertion: A prospective evaluation of pain management, 152

Machin, P.

de C. Williams, A. C.: Stiff upper lip: Coping strategies of World War II veterans with phantom limb pain, 290

Marchese, M. see Monti, D. A.

Mariano, A. J. see Chabal, C.

Martin, D. C. see Robinson, J. P.

Mashimo, T. see Koyama, T. Matsuki, A. see Kudoh, A.

McCleane, G.

Letter to the Editor: Lamotrigine can reduce neurogenic pain associated with multiple sclerosis, 269

McGrath, P. J. see Chambers, C. T.; Gauthier, J. C.

McGraw, T.

Stacey, B. R. Gabapentin for treatment of neuropathic pain in a 12year-old girl, 354

McIntosh, G. see Hall, H.

Melles, T. see Hall, H.

Middaugh, S. J. see Kee, W. G.

Miller, L. see Jensen, M. P.

Mobily, P. R. see Herr, K. A.

Monti, D. A.

Herring, C. L., Schwartzman, R. J., Marchese, M.: Personality assessment of patients with Complex Regional Pain Syndrome type I, 295

Morin, C. M.

Gibson, D., Wade, J.: Self-reported sleep and mood disturbance in chronic pain patients, 311

Morris, D. B.

Special article: An invisible history of pain: Early 19th-century Britain and America, 191

Morse, R. H

Letter to the Editor: Response to "Taxonomy? Never Again", 270 Müller, W. see Keel, P. J.

Narduzzi, K. see Jackson, T.

Nitescu, P. see Dahm, P.

Dahm, P., Appelgren, L., Curelaru, I.: Continuous infusion of opioid and bupivacanie by externalized intrathecal catheters in long-term treatment of "refractory" nonmalignant pain, 17

Ohnmeiss, D. D. see Vanharanta, H.

Ohrbach, R.

Patterson, D. R., Carrougher, G., Gibran, N.: Case report: Hypnosis after an adverse response to opioids in an ICU burn patient, 167

Opfer-Gehrking, T. L. see Sandroni, P.

Ostermeier, A. M. see Hautkappe, M.

Öztuna, V. see Güleç, S.

Patterson, D. R. see Ohrbach, R.

Podio, V. see Canavero, S.

Price, D. D.

Long, S., Wilsey, B., Rafii, A.: Special article: Analysis of peak magnitude and duration of analgesia produced by local anesthetics injected into sympathetic ganglia of Complex Regional Pain Syndrome patients, 216

Rafii, A. see Price, D. D.

Raj, P. see Stanton-Hicks, M.

Redpath, S. see Kee, W. G.

Rees, R. see Vickers, A. J. Reid, G. J. see Chambers, C. T.

Riley, J. L., III

Robinson, M. E.: Validity of MMPI-2 profiles in chronic back pain patients: Difference in path models of coping and somatization, 324

Robinson, J. P.

Allen, T., Fulton, L. D., Martin, D. C.: Special article: Perceived efficacy of pain clinics in the rehabilitation of injured workers, 202

Robinson, M. E. see Riley, J. L., III

Roizen, M. F. see Hautkappe, M.

Rosen, G. see Shir, Y.

Roth, S. see Hautkappe, M.

Sandroni, P.

Low, P. A., Ferrer, T., Opfer-Gehrking, T. L., Willner, C. L., Wilson, P. R.: Complex Regional Pain Syndrome I (CRPS I): Prospective study and laboratory evaluation, 282

Schanberg, L. E.

Keefe, F. J., Lefebvre, J. C., Kredich, D. W., Gil, K. M.: Social context of pain in children with Juvenile Primary Fibromyalgia Syndrome: Parental pain history and family environment, 107

Schwartzman, R. J. see Monti, D. A.

Shavelson, V. see Shir, Y.

Shenkman, Z. see Shir, Y.

Shibata, M. see Koyama, T.

Shir, Y.

Shenkman, Z., Shavelson, V., Davidson, E. M., Rosen, G.: Oral methadone for the treatment of severe pain in hospitalized children: A report of five cases, 350

Smith, C. see Vickers, A. J.

Sood, P. see Thimineur, M.

Stanton-Hicks, M.

Baron, R., Boas, R., Gordh, T., Harden, N., Hendler, N., Koltzenburg, M., raj, P., Wilder, R.: Consensus report: Complex Regional Pain Syndrome: Guidelines for therapy, 155

Stacev, B. R. see McGraw, T.

Sullivan, M.: Special article: The problem of pain in the clinicopathological method, 197

Sumikawa, K. see Fukusaki, M.

Thimineur, M.

Sood, P., Kravitz, E., Gudin, J., Kitaj, M.: Special article: Central nervous system abnormalities in Complex Regional Pain Syndrome (CRPS): Clinical and quantitive evidence of medullary dysfunction, 256

Toledano, A. see Hautkappe, M.

Torun, S. see G lec, S.

Urso, G. K. see Luketich, J. D.

van de Wiel, H. B. M. see Geertzen, J. H. B.

Vanharanta, H.

Ohnmeiss, D. D., April, C. N.: Special article: Vibration pain provocation can improve the specificity of MRI in the diagnosis of symptomatic lumbar disc rupture, 239

Vickers, A. J.

Fisher, P., Smith, C., Wyllie, S. E., Rees, R.: Special article: Homeopathic *Arnica* 30× is ineffective for muscle soreness after longdistance running: A randomized, double-blind, placebo-controlled trial, 227

Wagenaar, D. see Herr, K. A.

Weaver, M. see Chabal, C.

White, P. F. see Ahmed, H. E.

Wilder, R. see Stanton-Hicks, M.

Willner, C. L. see Sandroni, P.

Wilsey, B. see Price, D. D.

Wilson, J. see Luketich, J. D.

Wilson, L. see Hall, H.

Wilson, P. R. see Sandroni, P.

Editorial: Consensus, conjecture, and challenge, 1 Reply: On letter to the editor, 89

Wyllie, S. E. see Vickers, A. J.

Yoshiya, I. see Koyama, T.

Zacny, J. P.

Letter to the Editor: Opioids and chronic pain, 89

The Clinical Journal of Pain Volume 14, 1998

Subject Index

AAPM President's Message

Gullible's travels, 187

Talk the talk, 95

Total pain care—New Concept?, 280

Whither quality?, 2

Abortion

Assessment of pain during medical procedures: A comparison of three scales, 343

Acupuncture

Controlled trial of Japanese acupuncture for chronic myofascial neck pain: Assessment of specific and nonspecific effects of treatment, 248

Age bias

Age as a factor in admission to chronic pain rehabilitation, 121 Agreement

Agreement between child and parent reports of pain, 336

Amputation stump pain

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Analgesia

Hypnosis after an adverse response to opioids in an ICU burn patient, 167

Anesthetic, local

Analysis of peak magnitude and duration of analgesia produced by local anesthetics injected into sympathetic ganglia of Complex Regional Pain Syndrome patients, 216

Angina pectoris treatment

Long-term home treatment with epidural analgesia does not affect later spinal cord stimulation in patients with otherwise intractable angina pectoris, 315

Anxiety

Self-reported sleep and mood disturbance in chronic pain, 311 Assessment

Agreement between child and parent reports of pain, 336

Can we screen for problematic back pain? A screening questionnaire for predicting outcome in acute and subacute back pain, 209

Evaluation of the Faces Pain Scale for use with the elderly, 29 Myofascial pain syndrome and fibromyalgia: A critical assessment and alternate view, 74

Back pain

Can we screen for problematic back pain? A screening questionnaire for predicting outcome in acute and subacute back pain, 209

The problem of pain in the clinicopathological method, 197

Spontaneous onset of back pain, 129

Barbiturate

Effect of barbiturate on central pain: Difference between intravenous administration and oral administration, 86

Bony metastasis

Percutaneous electrical nerve stimulation (PENS): A complementary therapy for management of pain secondary to bony metastasis. 320 Book reviews

Acupuncture Energetics: A Clinical Approach for Physicians, 178 Disease, Pain and Suicidal Behavior, 179

Group work with Elders: 50 Therapeutic Exercises for Reminiscence, Validation, and Remotivation, 178

Handbook of Pain and Aging (The Plenum Series in Adult Development and Aging), 272

Molecular Neurobiology of Pain (Progress in Pain Research and Management, Volume 9), 180

The Pain Management Handbook: A Concise Guide to Diagnosis and Treatment, 357

Principles and Practice of Supportive Oncology, 272

Burn pain

Hypnosis after an adverse response to opioids in an ICU burn patient, 167

Oral methadone for the treatment of severe pain in hospitalized children: A report of five cases, 350

Cancer pain

Chest tube insertion: A prospective evaluation of pain management, 152

Comparison of the effects of perceived self-efficacy on coping with chronic pain cancer pain and coping with chronic low back pain, 303

Oral methadone for the treatment of severe pain in hospitalized children: A report of five cases, 350

Capsaicin, topical

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Carbamazepine

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61

Carbamazepine, serum levels

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61

Catheterization, long-term spinal

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps, 4

Catheterization, long-term subarachnoid

Continuous infusion of opioid and bupivacaine by externalized intrathecal catheters in long-term treatment of "refractory" non-malignant pain, 17

Causalgia

Complex Regional Pain Syndromes: Guidelines for therapy, 155 Central pain

Effect of barbiturate on central pain: Difference between intravenous administration and oral administration, 86

Child

Agreement between child and parent reports of pain, 336 Chronic pain Comparison of integrated group therapy and group relaxation training for fibromyalgia, 232

Comparison of the effects of perceived self-efficacy on coping with chronic pain cancer pain and coping with chronic low back pain, 303

Controlled trial of Japanese acupuncture for chronic myofascial neck pain: Assessment of specific and nonspecific effects of treatment, 248

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61

Perceived efficacy of pain clinics in the rehabilitation of injured workers, 202

Relations of employment status to emotional distress among chronic pain patients: A path analysis, 55

Self-reported sleep and mood disturbance in chronic pain, 311

Social context of pain in children with Juvenile Primary Fibromyalgia Syndrome: Parental pain history and family environment, 107

Transcutaneous electrical nerve stimulation in the treatment of chronic pain: Predictive factors and evaluation of the method, 134

Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization, 324

Chronic pain rehabilitation

Age as a factor in admission to chronic pain rehabilitation, 121 Cluster analysis

Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization, 324

Complex Regional Pain Syndrome (CRPS)

Analysis of peak magnitude and duration of analgesia produced by local anesthetics injected into sympathetic ganglia of Complex Regional Pain Syndrome patients, 216

Central nervous system abnormalities in Complex Regional Pain Syndrome (CRPS): Clinical and quantitative evidence of medullary dysfunction, 256

Complex Regional Pain Syndrome I (CRPS I): Prospective study and laboratory evaluation, 282

Complex Regional Pain Syndromes: Guidelines for therapy, 155 IASP diagnostic criteria for Complex regional Pain Syndrome: A preliminary empirical validation study, 48

Personality assessment of patients with Complex Regional Pain Syndrome type I, 295

Stressful life events and psychological dysfunction in Complex Regional Pain Syndrome type I, 143

Complications

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps, 4

Controlled study

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61

Comparison of the effects of perceived self-efficacy on coping with chronic pain cancer pain and coping with chronic low back pain, 303

Social context of pain in children with Juvenile Primary Fibromyalgia Syndrome: Parental pain history and family environment, 107

Stiff upper lip: Coping strategies of World War II veterans with phantom limb pain, 290

Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization, 324

Cost effectiveness

Long-term transcutaneous electrical nerve stimulation (TENS) use: Impact on medication utilization and physical therapy costs, 66 Depression

Self-reported sleep and mood disturbance in chronic pain, 311

Diabetic neuropathy

IASP diagnostic criteria for Complex regional Pain Syndrome: A

preliminary empirical validation study, 48

Diagnosis

IASP diagnostic criteria for Complex regional Pain Syndrome: A preliminary empirical validation study, 48

Discography

Vibration pain provocation can improve the specificity of MRI in the diagnosis of symptomatic lumbar disc rupture, 239

Editorials

An apologia in defense of pain medicine, 189

Chronic pain: A public health problem?, 277

Consensus, conjecture, and challenge, 1

Outcomes and moral hazards in the medical culture of opioid phobia, 185

Peter Wilson, Editor-in-Chief, The Clinical Journal of Pain, 1990–1998, 93

Elderly

Evaluation of the Faces Pain Scale for use with the elderly, 29 Emotional distress

Relations of employment status to emotional distress among chronic pain patients: A path analysis, 55

Employment status

Relations of employment status to emotional distress among chronic pain patients: A path analysis, 55

Epidural/intrathecal

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps, 4

Exercise

Homeopathic Arnica 30× is ineffective for muscle soreness after long-distance running: A randomized, double-blind, placebocontrolled trial, 227

Facial pain, atypical

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61

Family environment

Social context of pain in children with Juvenile Primary Fibromyalgia Syndrome: Parental pain history and family environment, 107

Fibromyalgia

Comparison of integrated group therapy and group relaxation training for fibromyalgia, 232

Myofascial pain syndrome and fibromyalgia: A critical assessment and alternate view, 74

Follow-up

Comparison of integrated group therapy and group relaxation training for fibromyalgia, 232

Gabapentin

Gabapentin for treatment of neuropathic pain in a 12-year-old girl, 354

Geriatrics

Age as a factor in admission to chronic pain rehabilitation, 121

Comparison of integrated group therapy and group relaxation training for fibromyalgia, 232

Hamilton Depression Scale

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61

Headache, cluster

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Health services

Age as a factor in admission to chronic pain rehabilitation, 121 Homeopathy

Homeopathic Arnica 30× is ineffective for muscle soreness after long-distance running: A randomized, double-blind, placebocontrolled trial, 227

Hypnosis

Hypnosis after an adverse response to opioids in an ICU burn patient, 167

Implanted systems

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps. 4

Intensity

Evaluation of the Faces Pain Scale for use with the elderly, 29 Intervenous administration

Effect of barbiturate on central pain: Difference between intravenous administration and oral administration, 86

Intervertebral disc

Vibration pain provocation can improve the specificity of MRI in the diagnosis of symptomatic lumbar disc rupture, 239

Juvenile Primary Fibromyalgia Syndrome

Social context of pain in children with Juvenile Primary Fibromyalgia Syndrome: Parental pain history and family environment, 107

Laboratory evaluation

Complex Regional Pain Syndrome I (CRPS I): Prospective study and laboratory evaluation, 282

Letters to the Editor

Abolition of neurogenic pain by focal cortical ischemia, 268
Cerebrospinal fluid pressure and acetazolamide treatment in idiopathic low back pain, 176

Lamotrigine can reduce neurogenic pain associated with multiple sclerosis, 269

Opiate abuse or undertreatment, 90

Opioids and chronic pain, 89

Response to "Taxonomy? Never Again," 270

LISREL

Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization, 324

Loin pain/hematuria syndrome

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Low back pain

Comparison of the effects of perceived self-efficacy on coping with chronic pain cancer pain and coping with chronic low back pain, 303

Symptoms of spinal stenosis do not improve after epidural steroid injection, 148

Magnetic resonance imaging

Vibration pain provocation can improve the specificity of MRI in the diagnosis of symptomatic lumbar disc rupture, 239

Major depression

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61

Malignant effusion

Chest tube insertion: A prospective evaluation of pain management, 152

Measurement

Evaluation of the Faces Pain Scale for use with the elderly, 29

Medulla, reflex sympathetic dystrophy

Central nervous system abnormalities in Complex Regional Pain Syndrome (CRPS): Clinical and quantitative evidence of medullary dysfunction, 256

Methadone, oral

Oral methadone for the treatment of severe pain in hospitalized children: A report of five cases, 350

MMPI-2

Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization, 324 Mucositis

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Muscle soreness

Homeopathic Arnica 30× is ineffective for muscle soreness after long-distance running: A randomized, double-blind, placebocontrolled trial, 227

Myofascial neck pain

Controlled trial of Japanese acupuncture for chronic myofascial neck pain: Assessment of specific and nonspecific effects of treatment, 248

Myofascial pain syndrome

Myofascial pain syndrome and fibromyalgia: A critical assessment and alternate view, 74

Natural history

Spontaneous onset of back pain, 129

Neck pain

Can we screen for problematic back pain? A screening questionnaire for predicting outcome in acute and subacute back pain, 209

Neonatal analgesia

A simultaneous comparison of three neonatal pain scales during common NICU procedures, 39

Neonatal pain

A simultaneous comparison of three neonatal pain scales during common NICU procedures, 39

Neonatal sedation

A simultaneous comparison of three neonatal pain scales during common NICU procedures, 39

Neural dysfunction

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Neuralgia

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Nonmalignant pain

Continuous infusion of opioid and bupivacaine by externalized intrathecal catheters in long-term treatment of "refractory" nonmalignant pain, 17

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps, 4

Nonspecific effects

Controlled trial of Japanese acupuncture for chronic myofascial neck pain: Assessment of specific and nonspecific effects of treatment, 248

Opioids

Hypnosis after an adverse response to opioids in an ICU burn patient, 167

Opioids, spinal

Continuous infusion of opioid and bupivacaine by externalized intrathecal catheters in long-term treatment of "refractory" non-malignant pain, 17

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps, 4

Oral administration

Effect of barbiturate on central pain: Difference between intravenous administration and oral administration, 86

Pain. see also specific type or site

An invisible history of pain: Early 19th-century Britain and America, 191

Evaluation of the Faces Pain Scale for use with the elderly, 29 Personality assessment of patients with Complex Regional Pain Syndrome type I, 295

The problem of pain in the clinicopathological method, 197

Pain, acute

Hypnosis after an adverse response to opioids in an ICU burn patient, 167

Pain assessment

Assessment of pain during medical procedures: A comparison of three scales, 343

Pain clinic

Perceived efficacy of pain clinics in the rehabilitation of injured workers, 202

Pain drug therapy

Oral methadone for the treatment of severe pain in hospitalized children: A report of five cases, 350

Pain management

Chest tube insertion: A prospective evaluation of pain management, 152

Pain measurement

Assessment of pain during medical procedures: A comparison of three scales, 343

Children's self-report of postoperative pain intensity and treatment threshold: Determining the adequacy of medication, 116

Pain, neuropathic

Gabapentin for treatment of neuropathic pain in a 12-year-old girl, 354 Pain provocation

Vibration pain provocation can improve the specificity of MRI in the diagnosis of symptomatic lumbar disc rupture, 239

Pain scale

A simultaneous comparison of three neonatal pain scales during common NICU procedures, 39

Pain treatment

Continuous infusion of opioid and bupivacaine by externalized intrathecal catheters in long-term treatment of "refractory" non-malignant pain, 17

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps, 4

Long-term transcutaneous electrical nerve stimulation (TENS) use: Impact on medication utilization and physical therapy costs, 66

Parental pain history

Social context of pain in children with Juvenile Primary Fibromyalgia Syndrome: Parental pain history and family environment, 107

Parents

Agreement between child and parent reports of pain, 336

Path model

Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization, 324

Pediatrics

Gabapentin for treatment of neuropathic pain in a 12-year-old girl, 354

Oral methadone for the treatment of severe pain in hospitalized children: A report of five cases, 350

Percutaneous electrical nerve stimulation

Percutaneous electrical nerve stimulation (PENS): A complementary therapy for management of pain secondary to bony metastasis, 320

Personality tests

Comparison of integrated group therapy and group relaxation training for fibromyalgia, 232

Phantom pain

Stiff upper lip: Coping strategies of World War II veterans with phantom limb pain, 290

Physical therapy

Long-term transcutaneous electrical nerve stimulation (TENS) use: Impact on medication utilization and physical therapy costs, 66

Analysis of peak magnitude and duration of analgesia produced by local anesthetics injected into sympathetic ganglia of Complex Regional Pain Syndrome patients, 216

Pleural effusion

Chest tube insertion: A prospective evaluation of pain management,

Postmastectomy pain syndrome

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Postoperative pain

Agreement between child and parent reports of pain, 336

Children's self-report of postoperative pain intensity and treatment threshold: Determining the adequacy of medication, 116

Prevention

Can we screen for problematic back pain? A screening questionnaire for predicting outcome in acute and subacute back pain, 209

Procedural pain

Assessment of pain during medical procedures: A comparison of three scales, 343

Pruritus

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Pseudoclaudication

Symptoms of spinal stenosis do not improve after epidural steroid injection, 148

Psoriasis

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Psychological dysfunction

Personality assessment of patients with Complex Regional Pain Syndrome type I, 295 Stressful life events and psychological dysfunction in Complex Regional Pain Syndrome type I, 143

Psychological treatment

Comparison of integrated group therapy and group relaxation training for fibromyalgia, 232

Randomized controlled trial

Homeopathic Arnica 30× is ineffective for muscle soreness after long-distance running: A randomized, double-blind, placebocontrolled trial, 227

Reflex sympathetic dystrophy (RSD)

Complex Regional Pain Syndrome I (CRPS I): Prospective study and laboratory evaluation, 282

Complex Regional Pain Syndromes: Guidelines for therapy, 155IASP diagnostic criteria for Complex regional Pain Syndrome: A preliminary empirical validation study, 48

Personality assessment of patients with Complex Regional Pain Syndrome type I, 295

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Rehabilitation

Perceived efficacy of pain clinics in the rehabilitation of injured workers, 202

Reliability

Assessment of pain during medical procedures: A comparison of three scales, 343

Rhinopathy

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Risk factors

Can we screen for problematic back pain? A screening questionnaire for predicting outcome in acute and subacute back pain, 209

Self-efficacy

Comparison of the effects of perceived self-efficacy on coping with chronic pain cancer pain and coping with chronic low back pain, 303

Self-reporting measures

Children's self-report of postoperative pain intensity and treatment threshold: Determining the adequacy of medication, 116

Serum Depression Scale

Effect of carbamazepine on pain scores of unipolar depressed patients with chronic pain: A trial of off-on-off-on design, 61 Sleep disturbance

Self-reported sleep and mood disturbance in chronic pain, 311 Somatization

Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization, 324

Spinal canal stenosis

Symptoms of spinal stenosis do not improve after epidural steroid injection, 148

Spinal cord stimulations (SCS)

Long-term home treatment with epidural analgesia does not affect later spinal cord stimulation in patients with otherwise intractable angina pectoris, 315

Spinal local anesthetic

Continuous infusion of opioid and bupivacaine by externalized

intrathecal catheters in long-term treatment of "refractory" nonmalignant pain, 17

Efficacy and technical complications of long-term continuous intraspinal infusions of opioid and/or bupivacaine in refractory nonmalignant pain: A comparison between the epidural and the intrathecal approach with externalized or implanted catheters and infusion pumps, 4

Spontaneous onset

Spontaneous onset of back pain, 129

Steroid, epidural

Symptoms of spinal stenosis do not improve after epidural steroid injection, 148

Stressful life events

Stressful life events and psychological dysfunction in Complex Regional Pain Syndrome type I, 143

Substance P

Review of the effectiveness of capsaicin for painful cutaneous disorders and neural dysfunction, 97

Surgical technique

Chest tube insertion: A prospective evaluation of pain management, 152

Swaddling

A simultaneous comparison of three neonatal pain scales during common NICU procedures, 39

Sympathetic block

Analysis of peak magnitude and duration of analgesia produced by local anesthetics injected into sympathetic ganglia of Complex Regional Pain Syndrome patients, 216

TENS

Long-term transcutaneous electrical nerve stimulation (TENS) use: Impact on medication utilization and physical therapy costs, 66

Thoracic epidural anesthesia

Long-term home treatment with epidural analgesia does not affect later spinal cord stimulation in patients with otherwise intractable angina pectoris, 315

Tissue pathology

The problem of pain in the clinicopathological method, 197

Transcutaneous electrical nerve stimulation (TENS)

Transcutaneous electrical nerve stimulation in the treatment of chronic pain: Predictive factors and evaluation of the method, 134

Treatment algorithm

Complex Regional Pain Syndromes: Guidelines for therapy, 155 Tube thoracostomy

Chest tube insertion: A prospective evaluation of pain management, 152

Validity

Assessment of pain during medical procedures: A comparison of three scales, 343

Vibration

Vibration pain provocation can improve the specificity of MRI in the diagnosis of symptomatic lumbar disc rupture, 239

Workers' compensation

Perceived efficacy of pain clinics in the rehabilitation of injured workers, 202

